

# SUREBOND®

RESTORATION & PROTECTION *Done Right!*™

## Best in Hardscape Cleaners & Sealers

- Innovative, Premium Quality Cleaners & Sealers
- Field Proven For Over 30 Years
- Immediate Application Products - Won't Trap Efflorescence
- Environmentally Safe
- Expert Technical Support & Training





## Joint Stabilizing Sealers

- Ideal for Patios, Walkways & Driveways
- Offer Multiple Benefits: Seal the Surface, Stabilize Joint Sand and Enhancement\*
- Protect Surface from Harsh Elements and Every Day Wear & Tear
- Promote Easier Cleaning & Maintenance
- Contains an Antifungal to Protect Sealer Film from Moss, Mold & Algae



**Surebond Joint Stabilizing Sealers** perform multiple tasks at once. The sealer stabilizes the sand in the joints to prevent sand loss and helps to deter weed growth. The sealer also provides protection from the harsh elements and promotes easier cleaning and maintenance. \*Depending on which joint stabilizing sealer you choose, it can also enhance the look of the surface by darkening or enhancing surface tone. Most surfaces can be re-applied in +/- 3 years depending on usage, site conditions, weather exposure and level of maintenance performed. Surebond Joint Stabilizing Sealers can also be used just as a sealer to protect and enhance the surface without joint stabilization.

### WATER BASED JOINT STABILIZING SEALERS

**SB-1300** Natural Look Matte Finish

**SB-7700** Enhanced Look Gloss Finish

### SOLVENT BASED JOINT STABILIZING SEALER

**SB-8700** Wet Look Semi-Gloss Finish



Photo Courtesy of Unilock

JOINT STABILIZING SEALERS



Rain Safe  
in 90 Minutes!

**SUREBOND®**  
JOINT STABILIZING SEALERS

**SUREBOND**  
JOINT STABILIZING SEALERS

	FEATURES									SUITABLE SURFACES													
	Enhances	Sand Stabilizer	Protects Surface	Antifungal Film Protection	Film Forming	Rain Safe in 90 Minutes	Water Based	Solvent Based	VOC Compliant		Concrete Pavers	Clay Pavers	Wet Cast Pavers	Flat & Stamped Concrete	Retaining Walls	Concrete Walls	Exposed Aggregate	Limestone	Sandstone	Natural Stone	Manufactured Stone	Unglazed Tile	Terrazzo
SB-1300 Natural Look Matte Finish		✓	✓	✓	✓		✓		✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
SB-7700 Enhanced Look Gloss Finish	✓	✓	✓	✓	✓		✓		✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
SB-8700 Wet Look Semi-Gloss Finish	✓	✓	✓	✓	✓	✓		✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

ALWAYS PERFORM A TEST AREA BEFORE SEALING SURFACE. SOME SURFACES MAY REQUIRE AN ANTI-SLIP ADDITIVE TO INCREASE FRICTION.

## TWO-PART URETHANE WET LOOK WATER BASED JOINT STABILIZING SEALERS

Offering surface protection and deep enhancement, Surebond's SurfacePRO Sealers are proprietary two-part water reducible, clear, aliphatic urethane sealers and joint sand stabilizers. SurfacePRO Sealers are specially formulated with an antifungal designed to help inhibit the growth of mold, moss and algae on the sealer film when applied to horizontal or vertical surfaces. SurfacePRO Sealers are non-yellowing and will provide a protective layer that is the ultimate in durability to resist mild acid, alkali, chemicals and salt attacks. Optimal results when performing same day cleaning, sanding and sealing can be achieved when following the recommended application process.

**SB-6700 SurfacePRO Ultra**  
**SB-6750 SurfacePRO Premium**  
**SB-6725 SurfacePRO Classic**  
**SB-6715 SurfacePRO RTU**



**SUITABLE SURFACES:** Concrete & clay pavers, flat and stamped concrete, or natural and manufactured stone. Also suitable for masonry, retaining walls, porous or unglazed tile. Recommended for high traffic areas where high durability and superior chemical resistance is desired.

# SUREBOND®

FEATURES	SurfacePRO Sealer Series			
	SB-6715 RTU	SB-6725 CLASSIC	SB-6750 PREMIUM	SB-6700 ULTRA
Joint Sand Stabilization - Reduces Sand Loss	Good	Good	Great	Optimal
Enhancement - Darkens Surface Tone	Good	Good	Deep	Ultra
Sheen - Shine or Luster	Semi-Gloss	Semi-Gloss	Gloss	Gloss
Durability - Long Term Performance	Good	Great	Great	Ultimate
Damp Application (no puddling or pooling)	✓	✓	✓	✓
Antifungal Film Protection - Inhibits Mold, Moss & Algae	✓	✓	✓	✓
Strippable - Ease of Removal	✓			
Ready To Use - No Dilution Required	✓			
Breathable – Does Not Trap Moisture or Efflorescence	✓	✓	✓	✓
Low VOC - Environmentally Friendly, Water Based Formula	✓	✓	✓	✓

ALWAYS PERFORM A TEST AREA BEFORE SEALING SURFACE. SOME SURFACES MAY REQUIRE AN ANTI-SLIP ADDITIVE TO INCREASE FRICTION.

JOINT STABILIZING SEALERS

### PICP Chip Stabilizing Sealer

**SB-1000 PermStik™**

- Designed for Permeable Applications
- Minimizes Chip Loss & Scattering
- Guards Against Surface Intrusion of Salts & Other Contaminants
- Resists Staining
- Can Be Removed for Future Maintenance
- Durable Natural Finish
- Contains an Antifungal to Protect Sealer Film from Moss, Mold & Algae
- VOC Compliant, Water Based Acrylic Formula



**CONTRACTOR GRADE FOR RESIDENTIAL & COMMERCIAL HARDSCAPE & CONCRETE SURFACES**

## Invisible Penetrating Sealers

**Surebond Invisible Penetrating Sealers** provide surface protection without changing the appearance of the surface. They offer extreme durability and long life, giving years of use before reapplication. For the ultimate in water and salt protection choose SB-4000 or SB-4400. If stain protection is the main objective, SB-5000 is the best choice.



### SB-4000 Water Repellent & Salt Blocker

- Transparent Finish
- High Performance Silane/Siloxane Blend
- Repels Water & Protects Surface from Salt Attack
- Spray and Back Roll or Roller Application:  
Apply Two Coats Wet On Wet
- Low VOC, Water Based Sealer

### SB-4400

#### Perma-Seal®

- Transparent Finish
- High Performance Silane/Siloxane Blend
- EZ Nano Technology
- Repels Water & Protects Surface from Salt Attack
- Spray and Back Roll or Roller Application:  
Apply Two Coats Wet On Wet
- Solvent Based Sealer

### SB-5000 Stain Blocking Sealer

- Transparent Finish
- Blocks Oil, Water & Organic Staining
- Durable & Long Lasting Protection
- Ideal for Driveways & Patios
- Spray and Back Roll or Roller Application:  
Apply Two Coats Wet On Wet
- Low VOC, Water Based Sealer



INVISIBLE PENETRATING SEALERS

**SUREBOND®**  
INVISIBLE  
PENETRATING SEALERS

	FEATURES								SUITABLE SURFACES													
	Invisible Finish	Water Repellent	Salt Protection	Stain Protection	Penetrating	Silane/Siloxane Blend	Water Based	Solvent Based	VOC Compliant	Concrete Pavers	Clay Pavers	Wet Cast Pavers	Flat & Stamped Concrete	Retaining Walls	Concrete Walls	Exposed Aggregate	Limestone	Sandstone	Natural Stone	Manufactured Stone	Unglazed Tile	Terrazzo
SB-4000 Water Repellent & Salt Blocker	✓	✓	✓		✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓			✓	✓	✓	✓
SB-4400 Perma-Seal	✓	✓	✓		✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓			✓	✓	✓	✓
SB-5000 Stain Blocking Sealer	✓			✓	✓		✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

ALWAYS PERFORM A TEST AREA BEFORE SEALING SURFACE.



## Wet Look Sealers

**Surebond Wet Look Sealers** can accentuate the surface tone of a new hardscape making it look even more beautiful or restore an older, tired-looking hardscape surface making it look like new again. Surebond Wet Look Sealers provide protection against the harsh elements, UV rays and every day wear and tear as well as minimize maintenance by making the surface easier to clean.

### SB-6000 Wet Look Sealer

- Enhances Surface Tone with Satin Finish
- Spray & Back Roll Application: Apply a Second Coat After First Coat Has Dried to Touch
- Depending on Environmental Conditions, a Light Reapplication May Be Required Every 6 Months to 2 Years to Maintain Desired Effect
- Low VOC, Water Based Sealer

### SB-9000 Wet Look Sealer

- Enhances with a Deep Wet Look & Gloss Finish
- Spray & Back Roll Application: Apply a Second Coat After First Coat Has Dried to Touch
- Solvent Based Sealer

Refer to page 2 and 3 to learn more about **SB-8700** and the **SurfacePRO Sealer Series** which can be used as wet look sealers without joint stabilization.



### SB-6400 Wet Look Penetrating Sealer

- Deeply Enhances Surface Tone with Matte Finish
- Durable & Long Lasting Chemically Bonded Protection
- Ideal for Natural Stone
- Spray & Back Roll Application: Apply Two Coats Wet on Wet
- Low VOC, Water Based Sealer



WET LOOK SEALERS

## SUREBOND®

### WET LOOK SEALERS

	FEATURES										SUITABLE SURFACES													
	Enhances	Surface Finish	Sand Stabilizer	Protects Surface	Antifungal Film Protection	Film Forming	Penetrating	Rain Safe in 90 Minutes	Water Based	Solvent Based	VOC Compliant	Concrete Pavers	Clay Pavers	Wet Cast Pavers	Flat & Stamped Concrete	Retaining Walls	Concrete Walls	Exposed Aggregate	Limestone	Sandstone	Natural Stone	Manufactured Stone	Unglazed Tile	Terrazzo
SB-6000 Wet Look Sealer	✓	S		✓		✓			✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
SB-6400 Wet Look Penetrating Sealer	✓	M		✓			✓		✓		✓	✓	✓							✓	✓	✓	✓	
SB-6700 SurfacePRO Ultra	✓	G	✓	✓	✓	✓			✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
SB-6750 SurfacePRO Premium	✓	G	✓	✓	✓	✓			✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
SB-6725 SurfacePRO Classic	✓	SG	✓	✓	✓	✓			✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
SB-6715 SurfacePRO RTU	✓	SG	✓	✓	✓	✓			✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
SB-8700 Wet Look Joint Stabilizing Sealer	✓	SG	✓	✓	✓	✓		✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
SB-9000 Wet Look Sealer	✓	G		✓		✓					✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

ALWAYS PERFORM A TEST AREA BEFORE SEALING SURFACE. SOME SURFACES MAY REQUIRE AN ANTI-SLIP ADDITIVE TO INCREASE FRICTION.

M=MATTE, S=SATIN, SG=SEMI-GLOSS, G=GLOSS

# SUREBOND®

## Restoration & Maintenance

### Maintain New Hardscapes to Keep Them Looking Beautiful For Years to Come

Paver, natural stone and concrete hardscapes are a BIG investment that can provide years of beauty and enjoyment if well maintained. Once the hardscape project has been installed, it is the ideal time to protect the surface with a **Surebond Sealer** and begin following a maintenance schedule. **Surebond's Specialty and Multi-Use Cleaners**, designed specifically for hardscapes, make routine maintenance simple and easy.



Photo Courtesy of Unilock

#### CLEANERS



# SUREBOND®

**MULTI-USE & SPECIALTY CLEANERS**

<div><div>SUREBOND®</div><div>MULTI-USE &amp; SPECIALTY CLEANERS</div></div>		PURPOSE OR CONTAMINANTS											SUITABLE SURFACES												
		Overall Surface Clean	Prepares Surface For Sealing	Removes Old Sealers	Embedded Soil	Paint Drops	Petroleum Based Oil/Grease	Food-Based Oil/Grease	Non-greasy Foods & Beverages	Leaves, Moss & Other Plants	Rust	Tire Tracking	Efflorescence	Concrete Pavers	Clay Pavers	Wet Cast Pavers	Flat & Stamped Concrete	Retaining Walls	Concrete Walls	Exposed Aggregate	Limestone	Sandstone	Natural Stone	Manufactured Stone	Unglazed Tile
SureClean	✓	✓		✓							✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
SureStrip			✓		✓								✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
S.R.B. Stain & Rust Buster							✓	✓	✓				✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Oil Extractor						✓	✓						✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Efflo Off	✓	✓										✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

ALWAYS PERFORM A TEST AREA BEFORE CLEANING SURFACE.

# Restore Older Hardscapes to Make Them Beautiful Again

Restore your hardscape with **Surebond's Multi-Use and Specialty Cleaners** to make your investment look like new again, and then protect it with a **Surebond Sealer**. Regardless if your hardscape is new or has been installed for many years, the surface should be cleaned using cleaners designed for hardscapes prior to sealer application to remove any stains and overall dirt. A properly cleaned surface will look best and provide optimal conditions for sealer adhesion.



## Multi-Use Cleaner

### SureClean

#### Deep Penetrating Multi-Use Cleaner

- Powerful Cleaner for Routine Maintenance & Restoration
- Removes Embedded Soil & Tire Scuffing
- Prepares Unsealed Surfaces for Sealing
- Super Concentrated Formula

## Sealer Stripper

### SureStrip

#### Fast Acting Sealer Stripper

- Removes a Variety of Sealers & Coatings
- Spot Cleaner for Removing Paint Spots
- Fast Acting - Works in Minutes
- Ready to Use Formula



## Specialty Cleaners

### S.R.B.

#### Stain & Rust Buster

- Effective on Common Stains: Non-Greasy Foods, Beverage Spills, Leaves, Moss & More
- Removes Rust Stains
- Fast Acting, Works in Minutes
- Concentrated Formula

### Oil Extractor

#### Oil Stain Cleaner

- Effective on Petroleum Based Grease & Oil Stains
- Removes Food Based Grease & Oil Stains
- Encapsulates Oil – Easy to Rinse
- Fast Acting, Ready to Use Formula

### Efflo Off

#### Efflorescence, Mineral & Salt Deposit Cleaner

- Removes Stubborn Efflorescence
- Heavy Duty Surface Cleaner
- Prepares Unsealed Surfaces For Sealing
- Concentrated Formula



## SB-Power Sprayer

- Self-Contained, Cordless Sprayer with Industrial Grade Sprayer Components and a Rugged Handcart
- Long-term Durability and Dependability for Both Residential and Commercial Use
- Drastically Reduces Labor Cost Over a Traditional Handheld or Backpack Sprayer
- On Demand Pump System - 6 Hours of Usage on a Single Charge
- Designed for Water Based Sealers Only



## APPLICATION INFORMATION FOR JOINT STABILIZING SEALERS


### JOINT SAND INSTALLATION

For optimal joint stabilization, the paver joints should be filled with dry correctly graded joint sand that meets the ASTM C144 standard. The top level of the sand should not exceed the bottom of the chamfer or 1/8" below the surface on non-beveled or tumbled paver surfaces.

Compaction is recommended after sweeping sand into joints to

minimize voids in sand joints. Use a vibratory compactor or roller for concrete pavers and a vibratory roller or rubber hammer and piece of

wood (2"x 4") for natural stone to seat the joint sand into the setting bed. A leaf blower is recommended to remove dust, debris and fine sand particles from the surface before applying sealer.



### FLOOD COAT & SQUEEGEE JOINT STABILIZING SEALER APPLICATION



**STEP 1:** Flood coat sealer on surface with a low-pressure sprayer.

**STEP 2:** Using a foam squeegee, direct excess sealer on the surface into the joints.

**STEP 3:** On textured or uneven surfaces, use a slit foam roller to remove excess sealer from the surface.




## APPLICATION INFORMATION FOR WET LOOK & PENETRATING SEALERS

### SPRAY & BACK-ROLL SEALER APPLICATION



**STEP 1:** Spray sealer on surface with a low-pressure sprayer.

**STEP 2:** With a slit foam roller, back-roll to remove excess sealer from the surface.



**SEK SUREBOND**  
HARDSCAPES *Done Right!*

800-932-3343 | [www.sek.us.com](http://www.sek.us.com)

Surebond 0230