I stopped making excuses excuses and started Using Surebond.

With over 30 years of proven experience, every single customer will notice the premium value Surebond adds to their investment, and our superior service and support will ensure your success.

SUREBOND PROTECTION THAT PAYS

MAINTAIN NEW HARDSCAPES TO KEEP THEM LOOKING BEAUTIFUL FOR YEARS TO COME

Paver, natural stone and concrete hardscapes are a BIG investment that can provide years of beauty and enjoyment if well maintained. Once the hardscape project has been installed, it is the ideal time to protect the surface with a **Surebond Sealer** and begin following a maintenance schedule. **Surebond's Specialty and Multi-Use Cleaners**, designed specifically for hardscapes, make routine maintenance simple and easy.



			PUF	RPO	SE O	R C	ONT	AMI	NAI	NTS						S	UIT	ABL	E SI	JRF/	ACES	S			
MULTI-USE & SPECIALTY CLEANERS	Overall Surface Clean	Prepares Surface For Sealing	Removes Old Sealers	Embedded Soil	Paint Drops	Petroleum Based Oil/Grease	Food-Based Oil/Grease	Non-greasy Foods & Beverages	Leaves, Moss & Other Plants	Rust	Tire Tracking	Efflorescence	Concrete Pavers	Clay Pavers	Wet Cast Pavers	Flat & Stamped Concrete	Retaining Walls	Concrete Walls	Exposed Aggregate	Limestone	Sandstone	Natural Stone	Manufactured Stone	Unglazed Tile	Terrazzo
SureClean	1	1		1							✓		1	1	<	1	1	1	<	1	<	✓	<	1	1
SureStrip			1		1								1	1	1	1	1	1	1	1	1	1	1	1	✓
S.R.B. Stain & Rust Buster								1	1	1			1	1	1	1	1	1	1	1	1	1	1	1	1
Oil Extractor						1	1						1	1	1	1	1	1	<	1	1	<	<	1	<
Efflo Off	1	1										1	1	1	1	1	1	1	<	1	1	✓	<	1	1
1 Antes	166	AL	WAY	'S PE	RFO	RM A	TES	TAR	EA B	EFOF	RE CI	EANI	NG SI	JRFA	CE.	80.	18	ich.	18		10		123	263	

RESTORE OLDER HARDSCAPES TO MAKE THEM BEAUTIFUL AGAIN

Restore hardscapes with **Surebond's Multi-Use** and **Specialty Cleaners** to make them look like new again, and then protect them with a **Surebond Sealer**. Regardless if the hardscape is new or has been installed for many years, the surface should be cleaned using cleaners designed for hardscapes to remove any stains and overall dirt prior to sealer application. A properly cleaned surface will look best and provide optimal conditions for sealer adhesion.



MULTI-USE CLEANER

SURECLEAN

Deep Penetrating Multi-Use Cleaner

- SUREE TO ITECTEAN HILDING CRAME INCOMENT I
 - Powerful Cleaner for Routine Maintenance & Restoration
 - Removes Embedded Soil & Tire Scuffing
 - Prepares Unsealed Surfaces for Sealing
 - Super Concentrated Formula

SEALER STRIPPER



SURESTRIP

Fast Acting Sealer Stripper

- Removes a Variety of Sealers & Coatings
- Spot Cleaner for Removing Paint Spots
- Fast Acting Works in Minutes
- Ready to Use Formula

SPECIALTY CLEANERS



Stain & Rust Buster

Effective on Common Stains:



- Non-Greasy Foods, Beverage Spills, Leaves, Moss & More
- Removes Rust Stains
- Fast Acting, Works in Minutes
- Concentrated Formula

OIL EXTRACTOR Oil Stain Cleaner

Oil Stain Cleaner

- Effective on Petroleum Based Grease & Oil Stains
- Removes Food Based Grease & Oil Stains
- Encapsulates Oil Easy to Rinse
- Fast Acting, Ready to Use Formula

EFFLO OFF

Efflorescence, Mineral & Salt Deposit Cleaner

- Removes Stubborn Efflorescence
- Heavy Duty Surface CleanerPrepares Unsealed Surfaces
- For Sealing
 Concentrated Formula
- SUREBOND PROTECTION THAT PAYS

JOINT STABILIZING SEALERS

- Ideal for Patios, Walkways & Driveways
- Offer Multiple Benefits: Surface Protection, Joint Sand Stabilization and Enhancement
- Protect Surface from Harsh Elements and Every Day
 Wear & Tear
- Promote Easier Cleaning & Maintenance
- Contain an Antifungal to Protect Sealer Film from Moss, Mold & Algae

Surebond Joint Stabilizing Sealers perform multiple tasks at once: stabilize joint sand to prevent sand loss and deter weed growth, provide surface protection from harsh elements and make cleaning easier.

Depending on which joint stabilizing sealer you choose, it can enhance the look of the surface by darkening the surface tone. Most joint stabilizing sealers will need to be reapplied every 2-3 years depending on usage, site conditions, weather exposure and level of maintenance performed. If desired, Surebond Joint Stabilizing Sealers can be used for surface protection and enhancement without joint sand stabilization when the appropriate instructions are followed.



WATER BASED JOINT STABILIZING SEALERS

SB-1300 Natural Look Matte Finish



B-870

SB-7700 Enhanced Look Gloss Finish

SOLVENT BASED JOINT STABILIZING SEALER

SB-8700 Wet Look Semi-Gloss Finish

				FEA	\TUF	RES							S	UIT	ABL	E Sl	JRF/	ACE	S			
JOINT STABILIZING SEALERS	Enhances	Sand Stabilizer	Protects Surface	Antifungal Film Protection	Film Forming	Rain Safe in 90 Minutes	Water Based	Solvent Based	VOC Compliant	Concrete Pavers	Clay Pavers	Wet Cast Pavers	Flat & Stamped Concrete	Retaining Walls	Concrete Walls	Exposed Aggregate	Limestone	Sandstone	Natural Stone	Manufactured Stone	Unglazed Tile	Terrazzo
SB-1300 Natural Look Matte Finish		1	1	✓	1		✓		\checkmark	1	1	✓	✓	✓	✓	✓	✓	✓	✓	1	1	1
SB-7700 Enhanced Look Gloss Finish	~	1	1	~	1		~		1	1	1	~	<	1	~	<	1	~	1	1	1	1
SB-8700 Wet Look Semi-Gloss Finish	1	1	1	1	1	1		1	1	1	1	1	1	1	<	<	1	1	1	1	1	1

ALWAYS PERFORM A TEST AREA BEFORE SEALING SURFACE. SOME SURFACES MAY REQUIRE AN ANTI-SLIP ADDITIVE TO INCREASE FRICTION.

TWO-PART URETHANE WET LOOK JOINT STABILIZING SEALERS

Offering surface protection and deep enhancement, **Surebond's SurfacePRO Sealers** are proprietary twopart water reducible, clear, aliphatic urethane sealers and joint sand stabilizers. **SurfacePRO Sealers** are specially formulated with an antifungal designed to help inhibit the growth of mold, moss and algae on the sealer film when applied to horizontal or vertical surfaces. **SurfacePRO Sealers** are non-yellowing and will provide a protective layer that is the ultimate in durability to resist mild acid, alkali, chemicals and salt attacks. Optimal results when performing same day cleaning, sanding and sealing can be achieved when following the recommended application process.

SUREBOND PROTECTION THAT PAYS



SB-6700 SurfacePRO Ultra

SB-6750 SurfacePRO Premium SB-6725

SurfacePRO Classic

SB-6715 SurfacePRO RTU

SUITABLE SURFACES: Concrete & clay pavers, flat and stamped concrete, or natural and manufactured stone. Also suitable for masonry, retaining walls, porous or unglazed tile. Recommended for high traffic areas where high durability and superior chemical resistance is desired.

		SURFACEPRO S	SEALER SERIES	
	SB-6715	SB-6725	SB-6750	SB-6700
FEATURES	RTU	CLASSIC	PREMIUM	ULTRA
Joint Sand Stabilization – Reduces Sand Loss	Good	Good	Great	Optimal
Enhancement – Darkens Surface Tone	Good	Good	Deep	Ultra
Sheen – Shine or Luster	Semi-Gloss	Semi-Gloss	Gloss	Gloss
Durability – Long Term Performance	Good	Great	Great	Ultimate
Damp Application (no puddling or pooling)	 ✓ 	1	1	1
Antifungal Film Protection – Inhibits Mold, Moss & Algae	 ✓ 	✓	1	1
Strippable – Ease of Removal	✓			
Ready To Use – No Dilution Required	 ✓ 			
Breathable – Does Not Trap Moisture or Efflorescence	 ✓ 	 ✓ 	1	1
Low VOC – Environmentally Friendly, Water Based Formula	 ✓ 	1	1	1

ALWAYS PERFORM A TEST AREA BEFORE SEALING SURFACE. SOME SURFACES MAY REQUIRE AN ANTI-SLIP ADDITIVE TO INCREASE FRICTION.

PICP CHIP STABILIZING SEALER SB-1000 PermStik™

- Designed for Permeable Applications
- Minimizes Chip Loss & Scattering
- Guards Against Surface Intrusion of Salts & Other Contaminants
 Resists Staining
- Can Be Removed for Future Maintenance
- Durable Natural Finish
- Contains an Antifungal to Protect Sealer Film from Moss, Mold & Algae
- VOC Compliant, Water Based Acrylic Formula

INVISIBLE PENETRATING SEALERS

Surebond Invisible Penetrating Sealers provide

surface protection without changing the appearance of the surface. They offer extreme durability and long life, giving years of use before reapplication is necessary.

• For the ultimate in water and salt protection choose **SB-4000** or **SB-4400**.

 If stain protection is the main objective, SB-5000 is the best choice.





SB-4000 WATER REPELLENT & SALT BLOCKER

- Transparent Finish
- High Performance Silane/Siloxane Blend
- Repels Water & Protects Surface from Salt Attack
- Spray and Back Roll or Roller Application: Apply Two Coats Wet On Wet
- Low VOC, Water Based Sealer

SB-4400 PERMA-SEAL®

- Transparent Finish
- High Performance Silane/Siloxane Blend
- EZ Nano Technology
- Repels Water & Protects Surface from Salt Attack
- Spray and Back Roll or Roller Application: Apply Two Coats Wet On Wet
 Solvent Based Sealer

SB-5000 STAIN BLOCKING SEALER

- Transparent Finish
- Blocks Oil, Water & Organic Staining
- Durable & Long Lasting Protection
- Ideal for Driveways & Patios
- Spray and Back Roll or Roller Application: Apply Two Coats Wet On Wet
- Low VOC, Water Based Sealer

				FE/	ATUI	RES							S	UIT	ABL	E SI	JRF/	ACE	S			
INVISIBLE PENETRATING SEALERS	Invisible Finish	Water Repellent	Salt Protection	Stain Protection	Penetrating	Silane/Sioloxane Blend	Water Based	Solvent Based	VOC Compliant	Concrete Pavers	Clay Pavers	Wet Cast Pavers	Flat & Stamped Concrete	Retaining Walls	Concrete Walls	Exposed Aggregate	Limestone	Sandstone	Natural Stone	Manufactured Stone	Unglazed Tile	Terrazzo
SB-4000 Water Repellent & Salt Blocker	1	1	1		1	1	1		1	1	1	1	1	1	1	1			1	1	1	 Image: A start of the start of
SB-4400 Perma-Seal	1	1	1		1	1		1	1	1	1	1	1	1	1	1			1	1	1	1
SB-5000 Stain Blocking Sealer	1			1	1		1		1	1	1	1	1	1	1	1	1	1	1	1	1	1

6 SUREBOND SEALERS

WET LOOK SEALERS

Surebond Wet Look Sealers can accentuate the surface tone of a new hardscape making it look even more beautiful or restore an older, tired-looking surface making it look like new again. **Surebond Wet Look Sealers** provide protection against the harsh elements, UV rays and every day wear and tear as well as minimize maintenance by making the surface easier to clean.



Refer to page 5 and 6 to learn more about **SB-8700** and the **SurfacePRO Sealer Series** which can be used as wet look sealers without joint stabilization.







Low VOC, Water Based Sealer SB-9000

Matte Finish

Bonded ProtectionIdeal for Natural Stone

- WET LOOK SEALER
- Enhances with a Deep Wet Look & Gloss Finish
- Spray & Back Roll Application: Apply a Second Coat After First Coat Has Dried to Touch
- Solvent Based Sealer

					FE/	ATUF	RES				SUITABLE SURFACES													
SUREBOND PROTECTION THAT PAYS WET LOOK SEALERS	Enhances	Surface Finish	Sand Stabilizer	Protects Surface	Antifungal Film Protection	Film Forming	Penetrating	Rain Safe in 90 Minutes	Water Based	Solvent Based	VOC Compliant	Concrete Pavers	Clay Pavers	Wet Cast Pavers	Flat & Stamped Concrete	Retaining Walls	Concrete Walls	Exposed Aggregate	Limestone	Sandstone	Natural Stone	Manufactured Stone	Unglazed Tile	Terrazzo
SB-6000 Wet Look Sealer	1	S		1		 Image: A start of the start of			1		✓	1	1	1	1	1	1	1	1	1	1	1	1	1
SB-6400 Wet Look Penetrating Sealer	1	м		1			1		1		1	1	1							1	1	1	1	1
SB-6700 SurfacePRO Ultra	1	G	1	1	1	1			1		1	1	1	1	1	1	1	1	1	1	1	1	1	1
SB-6750 SurfacePRO Premium	1	G	1	1	1	1			1		1	1	1	1	1	1	1	1	1	1	1	1	1	1
SB-6725 SurfacePRO Classic	1	SG	1	1	1	1			1		1	1	1	1	1	1	1	1	1	1	1	1	1	1
SB-6715 SurfacePRO RTU	1	SG	1	1	1	1			1		1	1	1	1	1	1	1	1	1	1	1	1	1	1
SB-8700 Wet Look Joint Stabilizing Sealer	1	SG	1	1	1	1		1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SB-9000 Wet Look Sealer	1	G		1		1				1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

ALWAYS PERFORM A TEST AREA BEFORE SEALING SURFACE. SOME SURFACES MAY REQUIRE AN ANTI-SLIP ADDITIVE TO INCREASE FRICTION. M=MATTE, S=SATIN, SG=SEMI-GLOSS, G=GLOSS

PROTECTION THAT PAYS

SB-6000 WET LOOK SEALER

- Enhances Surface Tone with Satin Finish
- Spray & Back Roll Application: Apply a Second Coat After First Coat Has Dried to Touch
- Depending on Environmental Conditions, a Light Reapplication May Be Required Every 6 Months to 2 Years to Maintain Desired Effect
- Low VOC, Water Based Sealer

SB-6400 WET LOOK PENETRATING SEALER

Deeply Enhances Surface Tone with


• Durable & Long Lasting Chemically

• Spray & Back Roll Application: Apply Two Coats Wet on Wet

WHY CHOOSE SUREBOND

Leaving a freshly installed hardscape behind without protecting it can really start to cost you and your reputation.

I used to worry something would go wrong, but now I'm confident I will get it right.



I stopped making excuses and started using Surebond.





800-932-3343 | SEK.US.COM