

With over 30 years of proven experience, every single customer will notice the premium value Surebond adds to their investment, and our superior service and support will ensure your success.



# MAINTAIN NEW HARDSCAPES TO KEEP THEM LOOKING BEAUTIFUL FOR YEARS TO COME

Paver, natural stone and concrete hardscapes are a BIG investment that can provide years of beauty and enjoyment if well maintained. Once the hardscape project has been installed, it is the ideal time to protect the surface with a Surebond Sealer and begin following a maintenance schedule. Surebond's Specialty and Multi-Use Cleaners, designed specifically for hardscapes, make routine maintenance simple and easy.



	FUNFUSE UN GUIVIAIVIIIVAIVIS									SUITABLE SUITAGES															
MULTI-USE & SPECIALTY CLEANERS	Overall Surface Clean	Prepares Surface For Sealing	Removes Old Sealers	Embedded Soil	Paint Drops	Petroleum Based Oil/Grease	Food-Based Oil/Grease	Non-greasy Foods & Beverages	Leaves, Moss & Other Plants	Rust	Tire Tracking	Efflorescence	Concrete Pavers	Clay Pavers	Wet Cast Pavers	Flat & Stamped Concrete	Retaining Walls	Concrete Walls	Exposed Aggregate	Limestone	Sandstone	Natural Stone	Manufactured Stone	Unglazed Tile	Terrazzo
SureClean	1	1		1							1		1	1	1	1	1	1	✓	1	1	1	1	1	1
SureStrip			1		1								1	1	1	1	1	1	1	1	1	1	1	1	1
S.R.B. Stain & Rust Buster								1	1	1			1	1	1	1	1	1	1	1	1	1	1	1	1
Oil Extractor						1	1						1	1	1	✓	1	1	✓	1	1	1	1	1	1
Efflo Off	1	1										1	1	1	1	1	✓	1	✓	1	1	✓	1	1	1

PURPOSE OR CONTAMINANTS

ALWAYS PERFORM A TEST AREA BEFORE CLEANING SURFACE.

SUITABLE SURFACES

# RESTORE OLDER HARDSCAPES TO MAKE THEM BEAUTIFUL AGAIN

Restore hardscapes with **Surebond's Multi-Use** and **Specialty Cleaners** to make them look like new again, and then protect them with a **Surebond Sealer**.

Regardless if the hardscape is new or has been installed for many years, the surface should be cleaned using cleaners designed for hardscapes to remove any stains and overall dirt prior to sealer application. A properly cleaned surface will look best and provide optimal conditions for sealer adhesion.



# **MULTI-USE CLEANER**

### **SURECLEAN**

## **Deep Penetrating Multi-Use Cleaner**

- Powerful Cleaner for Routine Maintenance & Restoration
- Removes Embedded Soil & Tire Scuffing
- Prepares Unsealed Surfaces for Sealing
- Super Concentrated Formula

# SEALER STRIPPER

### **SURESTRIP**

# **Fast Acting Sealer Stripper**

- Removes a Variety of Sealers & Coatings
- Spot Cleaner for Removing Paint Spots
- Fast Acting Works in Minutes
- Ready to Use Formula

# **SPECIALTY CLEANERS**

### S.R.B.

### Stain & Rust Buster

Effective on Common Stains:

- Non-Greasy Foods, Beverage Spills, Leaves, Moss & More
- Removes Rust Stains
- Fast Acting, Works in Minutes
- Concentrated Formula

## **OIL EXTRACTOR**

### Oil Stain Cleaner

- Effective on Petroleum Based Grease & Oil Stains
- Removes Food Based Grease & Oil Stains
- Encapsulates Oil Easy to Rinse
- Fast Acting, Ready to Use Formula

### **EFFLO OFF**

# Efflorescence, Mineral & Salt Deposit Cleaner

- Removes Stubborn Efflorescence
- Heavy Duty Surface Cleaner
- Prepares Unsealed Surfaces For Sealing
- Concentrated Formula



# JOINT **STABILIZING SEALERS**

- · Ideal for Patios, Walkways & Driveways
- · Offer Multiple Benefits: Surface Protection, Joint Sand Stabilization and Enhancement
- Protect Surface from Harsh Elements and Every Day Wear & Tear
- · Promote Easier Cleaning & Maintenance
- · Contain an Antifungal to Protect Sealer Film from Moss, Mold & Algae
- · Flood Coat & Squeegee Application

**Surebond Joint Stabilizing Sealers perform multiple** tasks at once: stabilize joint sand to prevent sand loss and deter weed growth, provide surface protection from harsh elements and make cleaning easier.

Depending on which joint stabilizing sealer you choose, it can enhance the look of the surface by darkening the surface tone and adding a gloss or sheen. If desired, Surebond Joint Stabilizing Sealers can be used for surface protection and enhancement without joint sand stabilization when the appropriate application instructions are followed.

# **WATER BASED JOINT STABILIZING SEALERS**

SB-1300 Natural Look Matte Finish

**SB-7700** Enhanced Look Semi-Gloss Finish

# **SOLVENT BASED** JOINT STABILIZING **SEALER**

SB-8700

Wet Look Semi-Gloss Finish

**SUITABLE SURFACES** 

JOINT STABILIZING SEALERS	Enhances	Sand Stabilizer	Protects Surface	Antifungal Film Protection	Film Forming	Rain Safe in 90 Minutes	Water Based	Solvent Based	VOC Compliant	Concrete Pavers	Clay Pavers	Wet Cast Pavers	Flat & Stamped Concrete	Retaining Walls	Concrete Walls	Exposed Aggregate	Limestone	Sandstone	Natural Stone	Manufactured Stone	Unglazed Tile	Terrazzo
SB-1300 Natural Look Matte Finish		1	1	1	1		1		1	1	1	1	1	1	1	1	1	1	1	1	1	1
SB-7700 Enhanced Look Semi-Gloss Finish	1	1	1	1	1		1		1	1	1	1	1	1	1	1	1	1	1	1	1	1
SB-8700 Wet Look Semi-Gloss Finish	1	1	1	1	1	1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

**FEATURES** 

ALWAYS PERFORM A TEST AREA BEFORE SEALING SURFACE. SOME SURFACES MAY REQUIRE AN ANTI-SLIP ADDITIVE TO INCREASE FRICTION.

# TWO-PART URETHANE WET LOOK JOINT STABILIZING SEALERS



Offering surface protection and deep enhancement,

Surebond's SurfacePRO Sealers are proprietary twopart water reducible, clear, aliphatic urethane sealers and
joint sand stabilizers. SurfacePRO Sealers are specially
formulated with an antifungal designed to help inhibit the
growth of mold, moss and algae on the sealer film when
applied to horizontal or vertical surfaces. SurfacePRO
Sealers are non-yellowing and will provide a protective
layer that is the ultimate in durability to resist mild acid,
alkali, chemicals and salt attacks. Optimal results when
performing same day cleaning, sanding and sealing can
be achieved when following the recommended
application process.

SB-6700 SurfacePRO Ultra

**SB-6750** 

SurfacePRO Premium

**SUITABLE SURFACES:** Concrete & clay pavers, flat and stamped concrete, or natural and manufactured stone. Also suitable for masonry, retaining walls, porous or unglazed tile. Recommended for high traffic areas where high durability and superior chemical resistance is desired.

	SURFACEPF	RO SEALERS
FEATURES	SB-6750   PREMIUM	SB-6700   ULTRA
Joint Sand Stabilization – Reduces Sand Loss	Great	Optimal
Enhancement – Darkens Surface Tone	Deep	Ultra
Sheen – Shine or Luster	Gloss	High-Gloss
Durability – Long Term Performance	Great	Ultimate
Stain Resistant	Good	Best
Yield Per Kit	10 - 15 gallons	15 - 20 gallons
Damp Application (no puddling or pooling)	✓	✓
Antifungal Film Protection – Inhibits Mold, Moss & Algae	✓	✓
Breathable – Does Not Trap Moisture or Efflorescence	✓	✓
Low VOC – Environmentally Friendly, Water Based Formula	✓	✓

ALWAYS PERFORM A TEST AREA BEFORE SEALING SURFACE. SOME SURFACES MAY REQUIRE AN ANTI-SLIP ADDITIVE TO INCREASE FRICTION.

## PICP CHIP STABILIZING SEALER SB-1000 PermStik™

- Designed for Permeable Applications
- Minimizes Chip Loss & Scattering
- Guards Against Surface Intrusion of Salts & Other Contaminants
- Resists Staining

- Can Be Removed for Future Maintenance
- Durable Natural Finish
- Contains an Antifungal to Protect Sealer Film from Moss, Mold & Algae
- VOC Compliant, Water Based Acrylic Formula

# INVISIBLE PENETRATING SEALERS

**Surebond Invisible Penetrating Sealers** provide surface protection without changing the appearance of the surface. They offer extreme durability and long life, giving years of use before reapplication is necessary.

- For the ultimate in water and salt protection choose **SB-4000** or **SB-4400**.
- If stain protection is the main objective, SB-5000 is the best choice.



# SB-4000 WATER REPELLENT & SALT BLOCKER

- Transparent Finish
- High Performance Silane/Siloxane Blend
- Repels Water & Protects Surface from Salt Attack
- Spray and Back Roll or Roller Application:
   Apply Two Coats Wet On Wet
- Low VOC, Water Based Sealer

# SB-4400 PERMA-SEAL®

- Transparent Finish
- High Performance Silane/Siloxane Blend
- EZ Nano Technology
- Repels Water & Protects Surface from Salt Attack
- Spray and Back Roll or Roller Application:
   Apply Two Coats Wet On Wet
- Solvent Based Sealer

# **SB-5000**STAIN BLOCKING SEALER

- Transparent Finish
- Blocks Oil, Water & Organic Staining
- Durable & Long Lasting Protection
- Ideal for Driveways & Patios
- Spray and Back Roll or Roller Application: Apply Two Coats Wet On Wet
- Low VOC, Water Based Sealer

				FE/	ATUF	RES			
INVISIBLE PENETRATING SEALERS	Invisible Finish	Water Repellent	Salt Protection	Stain Protection	Penetrating	Silane/Sioloxane Blend	Water Based	Solvent Based	VOC Compliant
SB-4000 Water Repellent & Salt Blocker	1	1	1		1	1	1		1
SB-4400 Perma-Seal	1	1	1		1	1		1	1
SB-5000 Stain Blocking Sealer	1			1	1		1		1

			5	UIT	ABL	E SI	JRF/	ACE:	S			
Concrete Pavers	Clay Pavers	Wet Cast Pavers	Flat & Stamped Concrete	Retaining Walls	Concrete Walls	Exposed Aggregate	Limestone	Sandstone	Natural Stone	Manufactured Stone	Unglazed Tile	Terrazzo
1	1	1	1	1	1	1	*		1	1	1	1
1	1	1	1	1	1	1	*		1	1	1	1
1	1	1	1	1	1	1	1	1	1	1	1	1

ALWAYS PERFORM A TEST AREA BEFORE SEALING SURFACE. \* Performance may vary on limestone.

# **WET LOOK SEALERS**

Surebond Wet Look Sealers can accentuate the surface tone of a new hardscape making it look even more beautiful or restore an older, tired-looking surface making it look like new again. Surebond Wet Look Sealers provide protection against the harsh elements, UV rays and every day wear and tear as well as minimize maintenance by making the surface easier to clean.



# **SB-6000** WET LOOK SEALER

- Enhances Surface Tone with Satin Finish
- Spray & Back Roll Application: Apply a Second Coat After First Coat Has Dried to
- Depending on Environmental Conditions, a Light Reapplication May Be Required Every 6 Months to 2 Years to Maintain Desired Effect
- · Low VOC, Water Based Sealer

# **SB-6400 WET LOOK** PENETRATING SEALER

- Deeply Enhances Surface Tone with Matte Finish
- Durable & Long Lasting Chemically Bonded Protection
- · Ideal for Natural Stone
- Spray & Back Roll Application: Apply Two Coats Wet on Wet
- Low VOC, Water Based Sealer

# **SB-9000 WET LOOK SEALER**

- Enhances with a Deep Wet Look & Gloss Finish
- Spray & Back Roll Application: Apply a Second Coat After First Coat Has Dried to Touch
- Solvent Based Sealer

					FEA	TUR	ES				SUITABLE SURFACES													
SUREBOND PROTECTION THAT PAYS		h	er	ace	m Protection			90 Minutes		р	nt	ers		ers	ed Concrete	alls	lls	Aggregate			a)	d Stone		
WET LOOK SEALERS	Enhances	Surface Finish	Sand Stabilizer	Protects Surface	Antifungal Film	Film Forming	Penetrating	Rain Safe in	Water Based	Solvent Based	VOC Compliant	Concrete Pavers	Clay Pavers	Wet Cast Pavers	Flat & Stamped	Retaining Walls	Concrete Walls	Exposed Agg	Limestone	Sandstone	Natural Stone	Manufactured	Unglazed Tile	Terrazzo
SB-6000 Wet Look Sealer	1	S		1		1			1		1	1	1	1	1	1	1	1	1	1	✓	1	1	1
SB-6400 Wet Look Penetrating Sealer	1	М		1			1		1		1	1	1							1	1	1	1	1
SB-6700 SurfacePRO Ultra	1	HG	1	1	1	1			1		1	1	1	1	1	1	1	1	1	1	✓	1	1	1
SB-6750 SurfacePRO Premium	1	G	1	1	1	1			1		1	1	1	1	1	1	1	1	1	1	1	1	1	1
SB-8700 Wet Look Joint Stabilizing Sealer	1	SG	1	1	1	1		1		1	1	1	1	1	1	1	1	1	1	1	/	1	1	1
SB-9000 Wet Look Sealer	1	G		1		1				1	1	1	1	1	1	1	1	1	1	1	<b>/</b>	1	1	1

ALWAYS PERFORM A TEST AREA BEFORE SEALING SURFACE. SOME SURFACES MAY REQUIRE AN ANTI-SLIP ADDITIVE TO INCREASE FRICTION. M=MATTE, S=SATIN, SG=SEMI-GLOSS, G=GLOSS, HG=HIGH-GLOSS


# WHY CHOOSE SUREBOND



Leaving a freshly installed hardscape behind without protecting it can really start to cost you and your reputation.

I used to worry something would go wrong, but now I'm confident I will get it right.





I stopped making excuses and started using Surebond.



