# I stopped making making excuses excuses and started using Suebond.

With over 30 years of proven experience, every single customer will notice the premium value Surebond adds to their investment, and our superior service and support will ensure your success.

# SUREBOND PROTECTION THAT PAYS

## MAINTAIN NEW HARDSCAPES TO KEEP THEM LOOKING BEAUTIFUL FOR YEARS TO COME

Paver, natural stone and concrete hardscapes are a BIG investment that can provide years of beauty and enjoyment if well maintained. Once the hardscape project has been installed, it is the ideal time to protect the surface with a **Surebond Sealer** and begin following a maintenance schedule. **Surebond's Specialty and Multi-Use Cleaners**, designed specifically for hardscapes, make routine maintenance simple and easy.



	PURPOSE OR CONTAMINANTS ase ase as a state of the second s																SU	ITAE	BLE	SUR	FAC	ES				
MULTI-USE & SPECIALTY CLEANERS	Overall Surface Clean	Prepares Surface For Sealing	Removes Old Sealers	Embedded Soil	Paint Drops	Petroleum Based Oil/Grease	Food-Based Oil/Grease	Non-greasy Foods & Beverages	Leaves, Moss & Other Plants	Rust	Tire Tracking	Efflorescence	Concrete Pavers	Clay Pavers	Wet Cast Pavers	Flat Concrete	Stamped Concrete	Retaining Walls	Concrete Walls	Exposed Aggregate	Limestone	Sandstone	Natural Stone	Manufactured Stone	Unglazed Tile	Terrazzo
SureClean	1	<		1							1		1	1	*	1	*	✓	1	1	~	<	✓	*	<	1
SureStrip			1		1								1	1	*	1	*	<	1	1	1	1	<	*	1	1
S.R.B. Stain & Rust Buster								1	1	1			1	1	*	1	*	<	1	1	1	1	<	*	1	1
Oil Extractor						1	1						1	1	*	1	*	<	1	1	1	1	1	*	1	1
Efflo Off	1	1										1	1	1	*	1	*	✓	1	1	1	1	1	*	1	1
ALWAYS PERFORM A TES	STAF	REA E	EFO	RE C	LEAN	NING	SUR	FACE	. *U	SE CA		DN – I	MAY	CAUS	E DA	MAG	E TO	THE	COL	OR C	DF TH	IE SU		CE.	16	

## RESTORE OLDER HARDSCAPES TO MAKE THEM BEAUTIFUL AGAIN

Restore hardscapes with **Surebond's Multi-Use** and **Specialty Cleaners** to make them look like new again, and then protect them with a **Surebond Sealer**. Regardless if the hardscape is new or has been installed for many years, the surface should be cleaned using cleaners designed for hardscapes to remove any stains and overall dirt prior to sealer application. A properly cleaned surface will look best and provide optimal conditions for sealer adhesion.



## **MULTI-USE CLEANER**

#### SURECLEAN

#### **Deep Penetrating Multi-Use Cleaner**

- Powerful Cleaner for Routine
  Maintenance & Restoration
- Removes Embedded Soil & Tire Scuffing
- Prepares Unsealed Surfaces for Sealing
- Super Concentrated Formula

## **SEALER STRIPPER**

### SURESTRIP

#### Fast Acting Sealer Stripper

- Removes a Variety of Sealers & Coatings
- Spot Cleaner for Removing Paint Spots
- Fast Acting Works in Minutes
- Ready to Use Formula

## **SPECIALTY CLEANERS**

## S.R.B.

**Stain & Rust Buster** Effective on Common Stains:

- Non-Greasy Foods, Beverage Spills, Leaves, Moss & More
- Removes Rust Stains
- Fast Acting, Works in Minutes
- Concentrated Formula

#### **OIL EXTRACTOR**

#### **Oil Stain Cleaner**

- Effective on Petroleum Based Grease & Oil Stains
- Removes Food Based Grease & Oil Stains
- Encapsulates Oil Easy to Rinse
- Fast Acting, Ready to Use Formula

#### **EFFLO OFF**

#### Efflorescence, Mineral & Salt Deposit Cleaner

- Removes Stubborn Efflorescence
- Heavy Duty Surface Cleaner
- Prepares Unsealed Surfaces For Sealing
- Concentrated Formula



## JOINT STABILIZING SEALERS

- · Ideal for Patios, Walkways & Driveways
- Offer Multiple Benefits: Surface Protection, Joint Sand Stabilization and Enhancement
- Protect Surface from Harsh Elements and Every Day
  Wear & Tear
- Promote Easier Cleaning & Maintenance
- Contain an Antifungal to Protect Sealer Film from Moss, Mold & Algae
- Flood Coat & Squeegee Application

Surebond Joint Stabilizing Sealers perform multiple tasks at once: stabilize joint sand to prevent sand loss and deter weed growth, provide surface protection from harsh elements and make cleaning easier.

Depending on which joint stabilizing sealer you choose, it can enhance the look of the surface by darkening the surface tone and adding a gloss or sheen. If desired, Surebond Joint Stabilizing Sealers can be used for surface protection and enhancement without joint sand stabilization when the appropriate application instructions are followed.

### WATER BASED JOINT STABILIZING SEALERS

SB-1300 Natural Look Matte Finish

SB-7700 Enhanced Look Semi-Gloss Finish

### SOLVENT BASED JOINT STABILIZING SEALER

SB-8700 Wet Look Semi-Gloss Finish

Best Seller! Rain Safe in 90 Minutes

				FE/	<b>NTUF</b>	RES							S	UIT	ABL	E Sl	JRF/	ACES	S			
JOINT STABILIZING SEALERS	Enhances	Sand Stabilizer	Protects Surface	Antifungal Film Protection	Film Forming	Rain Safe in 90 Minutes	Water Based	Solvent Based	VOC Compliant	Concrete Pavers	Clay Pavers	Wet Cast Pavers	Flat & Stamped Concrete	Retaining Walls	Concrete Walls	Exposed Aggregate	Limestone	Sandstone	Natural Stone	Manufactured Stone	Unglazed Tile	Terrazzo
SB-1300 Natural Look Matte Finish		1	1	✓	1		1		1	1	1	1	1	✓	1	✓	1	1	1	1	1	1
SB-7700 Enhanced Look Semi-Gloss Finish	1	1	1	1	1		1		1	1	1	1	1	1	1	1	1	1	1	1	1	1
SB-8700 Wet Look Semi-Gloss Finish	1	1	1	1	1	1		1	1	1	1	1	1	1	1	<	1	1	1	1	1	1

ALWAYS PERFORM A TEST AREA BEFORE SEALING SURFACE. SOME SURFACES MAY REQUIRE AN ANTI-SLIP ADDITIVE TO INCREASE FRICTION.

#### PICP CHIP STABILIZING SEALER SB-1000 PermStik™

- Designed for Permeable Applications
- Minimizes Chip Loss & Scattering
- Guards Against Surface Intrusion of Salts & Other Contaminants
- Resists Staining

- Can Be Removed for Future Maintenance
- Durable Natural Finish
- Contains an Antifungal to Protect Sealer Film from Moss, Mold & Algae
- VOC Compliant, Water Based Acrylic Formula

## TWO-PART URETHANE WET LOOK JOINT STABILIZING SEALERS

Offering surface protection and deep enhancement, **Surebond's SurfacePRO Sealers** are proprietary twopart water reducible, clear, aliphatic urethane sealers and joint sand stabilizers. **SurfacePRO Sealers** are specially formulated with an antifungal designed to help inhibit the growth of mold, moss and algae on the sealer film when applied to horizontal or vertical surfaces. **SurfacePRO Sealers** are non-yellowing and will provide a protective layer that is the ultimate in durability to resist mild acid, alkali, chemicals and salt attacks. Optimal results when performing same day cleaning, sanding and sealing can be achieved when following the recommended application process.

# SUREBOND PROTECTION THAT PAYS

**SB-6700** SurfacePRO Ultra

#### **SB-6750** SurfacePRO Premium

**SUITABLE SURFACES:** Concrete & clay pavers, flat and stamped concrete, or natural and manufactured stone. Also suitable for masonry, retaining walls, porous or unglazed tile. Recommended for high traffic areas where high durability and superior chemical resistance is desired.

	SURFACEPF	O SEALERS
FEATURES	SB-6750   PREMIUM	SB-6700   ULTRA
Joint Sand Stabilization – Reduces Sand Loss	Great	Optimal
Enhancement – Darkens Surface Tone	Deep	Ultra
Sheen – Shine or Luster	Gloss	High-Gloss
Durability – Long Term Performance	Great	Ultimate
Stain Resistant	Good	Best
Yield Per Kit	10 - 15 gallons	15 - 20 gallons
Damp Application (no puddling or pooling)	$\checkmark$	$\checkmark$
Antifungal Film Protection – Inhibits Mold, Moss & Algae	$\checkmark$	$\checkmark$
Breathable – Does Not Trap Moisture or Efflorescence	$\checkmark$	$\checkmark$
Low VOC – Environmentally Friendly, Water Based Formula	$\checkmark$	$\checkmark$

ALWAYS PERFORM A TEST AREA BEFORE SEALING SURFACE. SOME SURFACES MAY REQUIRE AN ANTI-SLIP ADDITIVE TO INCREASE FRICTION.

## INVISIBLE PENETRATING SEALERS

#### Surebond Invisible Penetrating Sealers provide

surface protection without changing the appearance of the surface. They offer extreme durability and long life, giving years of use before reapplication is necessary.

For the ultimate in water and salt protection choose **SB-4000** or **SB-4400**.



#### **SB-4000** WATER REPELLENT & SALT BLOCKER

- Transparent Finish
- High Performance Silane/Siloxane Blend
- Repels Water & Protects Surface from Salt Attack
- Spray and Back Roll or Roller Application:
- Apply Two Coats Wet On Wet
- Low VOC, Water Based Sealer

#### SB-4400 PERMA-SEAL®

- Transparent Finish
- High Performance Silane/Siloxane Blend
- EZ Nano Technology
- Repels Water & Protects Surface from Salt Attack
- Spray and Back Roll or Roller Application:
- Apply Two Coats Wet On Wet
- Solvent Based Sealer

			F	EAT	URE	S						S	UIT	ABL	E SI	JRF/	ACES	S			
INVISIBLE PENETRATING SEALERS	Invisible Finish	Water Repellent	Salt Protection	Penetrating	Silane/Sioloxane Blend	Water Based	Solvent Based	VOC Compliant	Concrete Pavers	Clay Pavers	Wet Cast Pavers	Flat & Stamped Concrete	Retaining Walls	Concrete Walls	Exposed Aggregate	Limestone	Sandstone	Natural Stone	Manufactured Stone	Unglazed Tile	Terrazzo
SB-4000 Water Repellent & Salt Blocker	1	1	<	✓	1	✓		1	1	1	1	~	✓	1	1	*		1	1	1	1
SB-4400 Perma-Seal	1	1	1	1	1		<	~	1	1	1	1	1	<	1	*		1	1	1	1

ALWAYS PERFORM A TEST AREA BEFORE SEALING SURFACE. \* Performance may vary on limestone.

## WET LOOK SEALERS

Surebond Wet Look Sealers can accentuate the surface tone of a new hardscape making it look even more beautiful or restore an older, tired-looking surface to look like new again. Surebond Wet Look Sealers provide protection against harsh elements, UV rays and every day wear and tear as well as minimize maintenance by making the surface easier to clean.

#### **SB-6000** WET LOOK SEALER

- Enhances Surface Tone with Satin Finish
- **Spray & Back Roll Application:** Apply a Second Coat After First Coat Has Dried to Touch
- Depending on Environmental Conditions, a Light Reapplication May Be Required Every 6 Months to 2 Years to Maintain Desired Effect
- Low VOC, Water Based Sealer

#### **SB-6400** WET LOOK HYBRID SEALER

- Deeply Enhances Surface Tone with Matte Finish
- Durable, Long Lasting Chemically Bonded Protection
- Ideal for Natural Stone
- Spray & Back Roll Wet on Wet Application: Apply Two Coats
- Low VOC, Water Based Sealer

#### **SB-6700** SURFACEPRO ULTRA TWO-PART URETHANE WET LOOK JOINT STABILIZING SEALER

- Enhances Surface Tone with a Deep Wet Look & High-Gloss Finish
- See Page 5 for More Information



#### **SB-6750** SURFACEPRO PREMIUM TWO-PART URETHANE WET LOOK JOINT STABILIZING SEALER

- Enhances Surface Tone & Gloss Finish
- See Page 5 for More Information

#### **SB-8700** WET LOOK JOINT STABILIZING SEALER

- Enhances Surface Tone with Semi-Gloss Finish
- Rain Safe in 90 minutes
- See Page 4 for More Information

#### **SB-9000** WET LOOK SEALER

- Enhances with a Deep Wet Look & Gloss Finish
- **Spray & Back Roll Application:** Apply a Second Coat After First Coat Has Dried to Touch
- Solvent Based Sealer


					FEA	TUR	ES								S	UIT	ABL	E SI	JRF/	ACE	S			
SUREBOND PROTECTION THAT PAYS		nish	illizer	urface	I Film Protection	ng	g	in 90 Minutes	sed	ased	oliant	avers	Š	Pavers	Stamped Concrete	Walls	Nalls	Aggregate			Stone	ured Stone	Tile	
WET LOOK SEALERS	Enhances	Surface Finish	Sand Stabilizer	Protects Surface	Antifungal Film	Film Forming	Penetrating	Rain Safe in	Water Based	Solvent Based	VOC Compliant	Concrete Pavers	<b>Clay Pavers</b>	Wet Cast Pavers	Flat & Sta	<b>Retaining Walls</b>	Concrete Walls	Exposed A	Limestone	Sandstone	Natural St	Manufactured	Unglazed	Terrazzo
SB-6000 Wet Look Sealer	1	S		1		1			✓		1	1	1	1	1	1	1	1	1	1	1	1	1	1
SB-6400 Wet Look Hybrid Sealer	1	М		1			1		<		1	1	1							1	1	1	1	1
SB-6700 SurfacePRO Ultra	1	HG	1	1	1	1			1		1	1	1	1	1	1	1	1	1	1	1	1	1	1
SB-6750 SurfacePRO Premium	1	G	1	1	1	1			1		1	1	1	1	1	1	1	1	1	1	1	1	1	1
SB-8700 Wet Look Joint Stabilizing Sealer	1	SG	1	1	1	1		1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SB-9000 Wet Look Sealer	1	G		1		1				1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

ALWAYS PERFORM A TEST AREA BEFORE SEALING SURFACE. SOME SURFACES MAY REQUIRE AN ANTI-SLIP ADDITIVE TO INCREASE FRICTION. M=MATTE, S=SATIN, SG=SEMI-GLOSS, G=GLOSS, HG=HIGH-GLOSS

# WHY CHOOSE SUREBOND

Leaving a freshly installed hardscape behind without protecting it can really start to cost you and your reputation.

I used to worry something would go wrong, but now I'm confident I will get it right.



I stopped making excuses and started using Surebond.





800-932-3343 | SEK.US.COM