

SEK-Surebond Corporation

SEK-Surebond S.R.B. Stain & Rust Buster

1 PRODUCT AND COMPANY IDENTIFICATION

Product Identifier: SEK-Surebond S.R.B. Stain & Rust Buster
Common Name: Mixture
SDS Number: 950491
Product Code: 950491
Revision Date: 10/18/2025
Version: 10/18/25
Internal ID: 950491
Product Description: Stain & Rust Buster
 Concentrated spot remover
Product Use: Use only as directed
Instructions: Professional Use Only
 Not recommended for Household Use.

Supplier Details: SEK-Surebond Corporation
 624 W. Illinois Avenue
 Aurora, IL 60506

Phone: (800) 932-3343
Web: www.sek.us.com
Emergency: CHEMTREC 800-424-9300 (USA) and 202-483-7616 (INTERNATIONAL) - 24/7/365

2 HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):

Physical, Corrosive to Metals, 1
 Health, Acute toxicity, 4 Oral
 Health, Skin corrosion/irritation, 2
 Health, Serious Eye Damage/Eye Irritation, 2 A
 Environmental, Hazards to the aquatic environment - Acute, 3

GHS Label Elements, Including Precautionary Statements

GHS Signal Word: **WARNING**

GHS Hazard Pictograms:



GHS Hazard Statements:

H290 - May be corrosive to metals
 H302 - Harmful if swallowed
 H315 - Causes skin irritation
 H319 - Causes serious eye irritation
 H402 - Harmful to aquatic life

GHS Precautionary Statements:

P210 - Keep away from heat/sparks/open flames/hot surfaces.
 P234 - Keep only in original container.
 P261 - Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
 P264 - Wash skin thoroughly after handling.
 P270 - Do not eat, drink or smoke when using this product.
 P271 - Use only outdoors or in a well-ventilated area.
 P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection.
 P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell.
 P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

SEK-Surebond Corporation

SEK-Surebond S.R.B. Stain & Rust Buster

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water.
 P303 + P361 + P353 - IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.
 P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
 P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 - Immediately call a POISON CENTER or doctor/ physician.
 P312 - Call a POISON CENTER or doctor/ physician if you feel unwell.
 P330 - Rinse mouth.
 P332 + P313 - If skin irritation occurs: Get medical advice/ attention.
 P337 + P313 - If eye irritation persists: Get medical advice/ attention.
 P362 - Take off contaminated clothing and wash before reuse.
 P363 - Wash contaminated clothing before reuse.
 P390 - Absorb spillage to prevent material damage.
 P403 + P233 - Store in a well-ventilated place. Keep container tightly closed.
 P403 + P235 - Store in a well-ventilated place. Keep cool.
 P405 - Store locked up.
 P501 - Dispose of contents/ container to an approved waste disposal plant.

3 COMPOSITION/INFORMATION OF INGREDIENTS

This material is considered hazardous by the OSHA Hazardous Communication Standard (29 CFR 1910.1200)

Chemical Ingredients

CAS#	%	Chemical Name
506-89-8	5.0-15.0%	urea, hydrochloride (1:1)
7647-01-0	5.0-15.0%	Hydrochloric acid
111-76-2	1.0-10.0%	2-Butoxyethanol

* The exact percentage (concentration) of composition has been withheld as a trade secret.

4 FIRST AID MEASURES

Inhalation: Move person to fresh air. If irritation occurs, call a physician. If not breathing, give artificial respiration.
Skin Contact: Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Wash clothes before reuse. If irritation occurs, call a physician.
Eye Contact: Rinse thoroughly with plenty of water for at least 15 minutes. Consult a physician if eye irritation occurs.
Ingestion: Do NOT induce vomiting. Rinse mouth with water. Never give anything by mouth to an unconscious person. Consult a physician if you feel unwell.

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Remove contaminated clothing. Wash thoroughly after handling.

5 FIRE FIGHTING MEASURES

Flammability: Non-Flammable
Flash Point: Not Flammable
Flash Point Method: Calculation

Not a combustible material. Use any means suitable for extinguishing surrounding fire. If evacuation of personnel is necessary, evacuate to an upwind area. Use protective clothing and NIOSH-approved breathing equipment for firefighting if necessary.

Not considered to be a fire or explosion hazard.

6 ACCIDENTAL RELEASE MEASURES

SEK-Surebond Corporation

SEK-Surebond S.R.B. Stain & Rust Buster

Isolate the area and contain the spilled material. Persons not wearing the appropriate PPE should be removed from the area until the spill is cleaned up. Stop leak if you can do it without risk and avoid run off to waterways and sewers.

Do not let product enter drains, waterways and sewers.

Soak up with inert absorbent material and prepare for disposal. Keep in suitable, closed containers for disposal.

7	HANDLING AND STORAGE
----------	-----------------------------

Handling Precautions:	Wear all appropriate Personal Protective Equipment (PPE). Wear respiratory protection or ensure adequate ventilation at all times as vapors can accumulate in confined or poorly ventilated areas. Use the product in a manner which minimizes splashes. Keep container closed when not in use.
Storage Requirements:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

8	EXPOSURE CONTROLS/PERSONAL PROTECTION
----------	--

Engineering Controls:	Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. Ensure that eyewash stations and safety showers are close to the workstation location. Provide adequate ventilation to control airborne concentration. In case of insufficient ventilation, wear suitable respiratory equipment. Educate and train employees in safe use of this product. Follow all label warnings and data sheet instructions.
Personal Protective Equipment:	<p>HMIS PP, C Safety Glasses, Gloves, Apron</p> <p>As prescribed in the OSHA Standard for Personal Protective Equipment (29 CFR 1910.132), employers must perform a hazard assessment of all workplaces to determine the need for proper protective equipment for each employee.</p> <p>Eye/Face Protection: Close fitting safety goggles. Face Protection shield.</p> <p>Skin & Body Protection: Wear protective gloves and protective clothing.</p> <p>Respiratory Protection: If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.</p>

Do not eat, drink or smoke when using this product.

Practice good personal hygiene. Wash after handling

9	PHYSICAL AND CHEMICAL PROPERTIES
----------	---

Appearance:	Liquid, colorless to pale yellow		
Physical State:	Liquid	Odor:	Acidic
Odor Threshold:	No data available		
		Solubility:	Completely Soluble
Spec Grav./Density:	1.060 +/- 0.005		
Viscosity:	0 cP		
Boiling Point:	Approximately 100° C / 212° F	Freezing/Melting Pt.:	32C (0F)
Flammability:	Not Flammable	Flash Point:	No Flash - Non-Flammable

SEK-Surebond Corporation

SEK-Surebond S.R.B. Stain & Rust Buster

Partition Coefficient:	No data available		
Vapor Pressure:	No data available	Vapor Density:	No data available
pH:	0.5 +/- 0.5		
Evap. Rate:	No data available		
		Auto-Ignition Temp:	No data available
Decomp Temp:	No data available	UFL / LFL:	No data available

10 STABILITY AND REACTIVITY

Reactivity:	No data available
Chemical Stability:	Product is stable under normal conditions.
Conditions to Avoid:	Avoid heat and direct sunlight, strong bases, strong acids, and oxidizing agents
Materials to Avoid:	Strong Bases, Strong Oxidizing Agents, metals. Do not mix or contaminate with other materials
Hazardous Decomposition:	Chlorine, Hydrogen Chloride and Phosgene gas
Hazardous Polymerization:	Not Known

11 TOXICOLOGICAL INFORMATION

No Test Data Available for the finished good.

Harmful to aquatic life.

Product Information:

Inhalation: May be harmful if inhaled.

Ingestion: Harmful if swallowed.

Eyes: Corrosive and may cause severe damage including blindness.

Skin: Causes burns and blisters with prolonged contact.

12 ECOLOGICAL INFORMATION

Other adverse Ecological Effects:

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

13 DISPOSAL CONSIDERATIONS

Waste Disposal Method:

If possible, recover product for intended use. Waste must be disposed of in accordance with federal, state and local environmental control regulations.

14 TRANSPORT INFORMATION

UN3264, Corrosive liquid, acidic, inorganic, n.o.s., (Hydrochloric Acid), 8, PG II

Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Consult your company's Hazardous Materials/Dangerous Goods expert for information specific to your situation. .

Not regulated less than 3.78L

SEK-Surebond Corporation

SEK-Surebond S.R.B. Stain & Rust Buster



15	REGULATORY INFORMATION
-----------	-------------------------------

SARA 313:

SARA 313: Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical Name: Hydrochloric Acid

CAS #: 7647-01-0

SARA 311/312 Hazard Categories:

Acute Health Hazard Yes

Chronic Health Hazard No

Fire Hazard No

Reactive Hazard No

Sudden Release of Pressure Hazard No

California Prop. 65:

This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

US Right-to-Know Regulations:

Chemical Name	PA	MA	NJ
Hydrochloric Acid	X	X	X

SEK-Surebond Corporation


SEK-Surebond S.R.B. Stain & Rust Buster

16 OTHER INFORMATION

NFPA: Health = 2, Fire = 0, Reactivity = 1, Specific Hazard = ACID
HMIS III: Health = 2(Chronic), Fire = 0, Physical Hazard = 1
HMIS PPE: C - Safety Glasses, Gloves, Apron



HMIS	
HEALTH	<input checked="" type="checkbox"/> 2
FLAMMABILITY	<input type="checkbox"/> 0
PHYSICAL HAZARD	<input type="checkbox"/> 1
PERSONAL PROTECTION	<input type="checkbox"/> C



Notice to Reader

THE INFORMATION IN THIS SAFETY DATA SHEET (SDS) WAS OBTAINED FROM SOURCES WHICH WE BELIEVE ARE RELIABLE. HOWEVER, THE INFORMATION IS PROVIDED WITHOUT ANY WARRANTY, EXPRESSED OR IMPLIED, REGARDING ITS CORRECTNESS OR ACCURACY. SOME INFORMATION PRESENTED AND CONCLUSIONS DRAWN HEREIN ARE FROM SOURCES OTHER THAN DIRECT TEST DATA ON THE SUBSTANCE ITSELF. THIS SDS WAS PREPARED AND IS TO BE USED ONLY FOR THIS PRODUCT. IF THE PRODUCT IS USED AS A COMPONENT IN ANOTHER PRODUCT, THIS SDS INFORMATION MAY NOT BE APPLICABLE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION OR PRODUCTS FOR THEIR PARTICULAR PURPOSE OR APPLICATION. THE CONDITIONS OR METHODS OF HANDLING, STORAGE, USE, AND/OR DISPOSAL OF THE PRODUCT ARE BEYOND OUR CONTROL AND MAY BE BEYOND OUR KNOWLEDGE. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR ANY LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH HANDLING, STORAGE, USE OR DISPOSAL OF THE PRODUCT.

SEK-Surebond is a registered trademark of SEK-Surebond Corporation.

Revision Date: 10/18/2025

Print Date: 10/23/2025